

NR referring to Efreto's or New field nomination	New field number to be confirmed after approval	Variable name	Definition	Unit or coding	Number countries that indicate a no
NEW:NR		Recipient ID	National ID code, same as used in the National or Regional registry that delivers the data.	Alphanumerical code	1
NEW: ER		Recipient ER ID	ER ID code, could be the same as used in the National or Regional registry that delivers the data or determined by Consortium	Alphanumerical code	3
R1.1		Patient's Gender at birth	Patient's Gender at birth	M, F, U	
R1.2		Patient's ABO Blood Group	Patient's Blood Group Type	A, B, O, AB, Unknown	
R1.3		Primary Diagnosis	All codings from national registries are stored: one variable describing which coding system(see derived variables) is used and one with the national coding.	Alphanumeric	0
R1.4: NR		Date of Birth	Date of birth of recipient	DD-MM-YYYY	
R1.4: ER		Recipient age at listing	Number of days between date of listing and date of birth	Whole number, no decimals, option N/A	5
R1.5		Unified Primary Diagnosis	For liver and Intestine: ELTR For heart and lung: ISHLT For kidney and pancreas: ICD-10	Alphanumeric	3
R1.6		Country of Residence	Country where the recipient resides most of the year, or has its main address	ISO-Code 3166	2
R1.7:NR		Listing Date	Date recipient was added to the waiting list. Can be entered separately for every transplant (first, second, etc	DD-MM-YYYY	1
R1.7:ER		Age in years at listing	The age the recipient had reached at the time of listing for his first transplantation. For second and third transplantation, this variable is not entered.	Years with one decimal point	6
R1.8		Urgency of candidate at time of transplantation	Variable reflecting severity of disease. If transplantation is not registered as urgent or with high priority, it is elective	Urgent, Elective	3

R1.9 NR		Date the recipient went on dialysis for the first time, before his first transplantation. For second and third transplantations this variable is not entered		DD-MM-YYYY; 99-99-999 must be used for "No dialysis"	2
R1.9:ER		Age in years at start of first dialysis	The age the recipient had reached being put on dialysis for the first time, before his first transplantation. For second and third transplantation, this variable is not entered.	Years with one decimal point	5
New and Tier 2 or 3 datafields that would be advisable					
R2.1		HIV (I/II) Ab*		Reactive, Non-reactive, Unknown	1
R2.5		HCV Ab		Reactive, Non-reactive, Unknown	1
New		HBV		Reactive, Non-reactive, Unknown	1
New		CMV		Reactive, Non-reactive, Unknown	1
New		Dialysis type	The type of dialysis used	Hemodialysis/Peritoneal	1
New		Sensitisation before first transplantation		3 fields: Y/N, if yes: highest-lowest-current, if yes: how determined CDC/Luminex	1
New		Days between dialysis and listing	the number of days between first dialysis and listing	whole number, no decimals, option N/A	4
R3.16		Ethnic Origin	What ethnicity does the recipient have	White (w), Asian (A), Black (B), Oriental (O) Mixed (M) please define M Other (X) please define	2

NR referring to Efreto or New field nomination	New field number to be confirmed after approval	Variable name	Definition	Unit or coding	Number countries that indicate a no
NEW:NR		Recipient ID	National ID code, same as used in the National or Regional registry that delivers the data.	Alphanumeric code	4

NEW: ER		Recipient ER ID	ER ID code, could be the same as used in the National or Regional registry that delivers the data or determined by Consortium	Alphanumerical code	5
R1.1		Patient's Gender at birth	Patient's Gender at birth	M, F, U	
R1.2		Patient's ABO Blood Group	Patient's Blood Group Type	A, B, O, AB, Unknown	1
R1.3		Primary Diagnosis	All codings from national registries are stored: one variable describing which coding system(see derived variables) is used and one with the national coding.	Alphanumeric	2
R1.4: NR		Date of Birth	Date of birth of recipient	DD-MM-YYYY	5
R1.4: ER		Recipient age at listing	Number of days between date of listing and date of birth	Whole number, no decimals, option N/A	6
R1.5		Unified Primary Diagnosis	For liver and Intestine: ELTR For heart and lung: ISHLT For kidney and pancreas: ICD-10	Alphanumeric	10
R1.6		Country of Residence	Country where the recipient resides most of the year, or has its main address	ISO-Code 3166	6
R1.7:NR		Listing Date	Date recipient was added to the waiting list. Can be entered separately for every transplant (first, second, etc	DD-MM-YYYY	3
R1.7:ER		Age in years at listing	The age the recipient had reached at the time of listing for his first transplantation. For second and third transplantation, this variable is not entered.	Years with one decimal point	5
R1.8		Urgency of candidate at time of transplantation	Variable reflecting severity of disease. If transplantation is not registeres as urgent or with high priority, it is elective	Urgent, Elective	7
D1.9 NR		Date the recipient went on dialysis for the first time, before his first transplantation. For second and third transplantations this variable is not entered		DD-MM-YYYY; 99-99-999 must be used for "No dialysis	3

R1.9:ER		Age in years at start of first dialysis	The age the recipient had reached being put on dialysis for the first time, before his first transplantation. For second and third transplantation, this variable is not entered.	Years with one decimal point	6
New and Tier 2 or 3 datafields that would be advisable					
R2.1		HIV (I/II) Ab*		Reactive, Non-reactive, Unknown	2
R2.5		HCV Ab		Reactive, Non-reactive, Unknown	2
New		HBV		Reactive, Non-reactive, Unknown	2
New		CMV		Reactive, Non-reactive, Unknown	4
New		Dialysis type	The type of dialysis used	Hemodialysis/Peritoneal	2
New		Sensitisation before first transplantation		3 fields: Y/N, if yes: highest-lowest-current, if yes: how determined CDC/Luminex	5
New		Days between dialysis and listing	the number of days between first dialysis and listing	whole number, no decimals, option N/A	7
R3.16		Ethnic Origin	What ethnicity does the recipient have	White (w), Asian (A), Black (B), Oriental (O) Mixed (M) please define M Other (X) please define	15

NR referring to Efreto or New field nomination	New field number to be confirmed after approval	Variable name	Definition	Unit or coding	Number countries that indicate a no
NEW:NR		Recipient ID	National ID code, same as used in the National or Regional registry that delivers the data.	Alphanumerical code	
NEW: ER		Recipient ER ID	ER ID code, could be the same as used in the National or Regional registry that delivers the data or determined by Consortium	Alphanumerical code	
R1.1		Patient's Gender at birth	Patient's Gender at birth	M, F, U	

R1.2		Patient's ABO Blood Group	Patient's Blood Group Type	A, B, O, AB, Unknown	
R1.3		Primary Diagnosis	All codings from national registries are stored: one variable describing which coding system(see derived variables) is used and one with the national coding.	Alphanumeric	
R1.4: NR		Date of Birth	Date of birth of recipient	DD-MM-YYYY	
R1.4: ER		Recipient age at listing	Number of days between date of listing and date of birth	Whole number, no decimals, option N/A	
R1.5		Unified Primary Diagnosis	For liver and Intestine: ELTR For heart and lung: ISHLT For kidney and pancreas: ICD-10	Alphanumeric	2
R1.6		Country of Residence	Country where the recipient resides most of the year, or has its main address	ISO-Code 3166	
R1.7:NR		Listing Date	Date recipient was added to the waiting list. Can be entered separately for every transplant (first, second, etc	DD-MM-YYYY	1
R1.7:ER		Age in years at listing	The age the recipient had reached at the time of listing for his first transplantation. For second and third transplantation, this variable is not entered.	Years with one decimal point	1
R1.8		Urgency of candidate at time of transplantation	Variable reflecting severity of disease. If transplantation is not registeres as urgent or with high priority, it is elective	Urgent, Elective	1
D1.9 NR		Date the recipient went on dialysis for the first time, before his first transplantation. For second and third transplantations this variable is not entered		DD-MM-YYYY; 99-99-999 must be used for "No dialysis	1
R1.9:ER		Age in years at start of first dialysis	The age the recipient had reached being put on dialysis for the first time, before his first transplantation. For second and third transplantation, this variable is not entered.	Years with one decimal point	1
New and Tier 2 or 3 datafields that would be advisable					

R2.1		HIV (I/II) Ab*		Reactive, Non-reactive, Unknown	
R2.5		HCV Ab		Reactive, Non-reactive, Unknown	
New		HBV		Reactive, Non-reactive, Unknown	
New		CMV		Reactive, Non-reactive, Unknown	
New		Dialysis type	The type of dialysis used	Hemodialysis/Peritoneal	
New		Sensitisation before first transplantation		3 fields: Y/N, if yes: highest-lowest-current, if yes: how determined CDC/Luminex	
New		Days between dialysis and listing	the number of days between first dialysis and listing	whole number, no decimals, option N/A	1
R3.16		Ethnic Origin	What ethnicity does the recipient have	White (w), Asian (A), Black (B), Oriental (O) Mixed (M) please define M Other (X) please define	1

NR referring to Efreto or New field nomination	New field number to be confirmed after approval	Variable name	Definition	Unit or coding	Number countries that indicate a no
NEW:NR		Recipient ID	National ID code, same as used in the National or Regional registry that delivers the data.	Alphanumeric code	
NEW: ER		Recipient ER ID	ER ID code, could be the same as used in the National or Regional registry that delivers the data or determined by Consortium	Alphanumeric code	
R1.1		Patient's Gender at birth	Patient's Gender at birth	M, F, U	
R1.2		Patient's ABO Blood Group	Patient's Blood Group Type	A, B, O, AB, Unknown	
R1.3		Primary Diagnosis	All codings from national registries are stored: one variable describing which coding system(see derived variables) is used and one with the national coding.	Alphanumeric	
R1.4: NR		Date of Birth	Date of birth of recipient	DD-MM-YYYY	

R1.4: ER		Recipient age at listing	Number of days between date of listing and date of birth	Whole number, no decimals, option N/A	
R1.5		Unified Primary Diagnosis	For liver and Intestine: ELTR For heart and lung: ISHLT For kidney and pancreas: ICD-10	Alphanumeric	
R1.6		Country of Residence	Country where the recipient resides most of the year, or has its main address	ISO-Code 3166	
R1.7:NR		Listing Date	Date recipient was added to the waiting list. Can be entered separately for every transplant (first, second, etc	DD-MM-YYYY	
R1.7:ER		Age in years at listing	The age the recipient had reached at the time of listing for his first transplantation. For second and third transplantation, this variable is not entered.	Years with one decimal point	
R1.8		Urgency of candidate at time of transplantation	Variable reflecting severity of disease. If transplantation is not registered as urgent or with high priority, it is elective	Urgent, Elective	
D1.9 NR		Date the recipient went on dialysis for the first time, before his first transplantation. For second and third transplantations this variable is not entered		DD-MM-YYYY; 99-99-999 must be used for "No dialysis	
R1.9:ER		Age in years at start of first dialysis	The age the recipient had reached being put on dialysis for the first time, before his first transplantation. For second and third transplantation, this variable is not entered.	Years with one decimal point	
New and Tier 2 or 3 datafields that would be advisable					
R2.1		HIV (I/II) Ab*		Reactive, Non-reactive, Unknown	
R2.5		HCV Ab		Reactive, Non-reactive, Unknown	
New		HBV		Reactive, Non-reactive, Unknown	
New		CMV		Reactive, Non-reactive, Unknown	

New		Dialysis type	The type of dialysis used	Hemodialysis/Peritoneal	
New		Sensitisation before first transplantation		3 fields: Y/N, if yes: highest-lowest-current, if yes: how determined CDC/Luminex	
New		Days between dialysis and listing	the number of days between first dialysis and listing	whole number, no decimals, option N/A	
R3.16		Ethnic Origin	What ethnicity does the recipient have	White (w), Asian (A), Black (B), Oriental (O) Mixed (M) please define M Other (X) please define	